

Wissenschaftliche Veröffentlichungen

Privatdozent Dr. med. Sascha Rolf

Stand 23.04.2019

Originalarbeiten mit Erst- und Letztautorenschaft

1. **Rolf S**, Schoene K, Kircher S, Dinov B, Bertagnolli L, Bollmann A, Richter S, Arya A, Hindricks G, Sommer P. Catheter ablation of atrial fibrillation with nonfluoroscopic catheter visualization-a prospective randomized comparison. *J Interv Card Electrophysiol.* 2019 Jan;54(1):35-42.
2. Kosiuk J, Dinov B, Kornej J, Acou WJ, Schönbauer R, Fiedler L, Buchta P, Myrda K, Gaśior M, Poloński L, Kircher S, Arya A, Sommer P, Bollmann A, Hindricks G, **Rolf S**. Prospective, multicenter validation of a clinical risk score for left atrial arrhythmogenic substrate based on voltage analysis: DR-FLASH score. *Heart Rhythm.* 2015 Nov;12(11):2207-12.
3. **Rolf S**, Kircher S, Arya A, Eitel C, Sommer P, Richter S, Gaspar T, Bollmann A, Altmann D, Piedra C, Hindricks G, Piorkowski C. Tailored atrial substrate modification based on low-voltage areas in catheter ablation of atrial fibrillation. *Circ Arrhythm Electrophysiol.* 2014 Oct;7(5):825-33.
4. Nedios S, Sommer P, Dagres N, Kosiuk J, Arya A, Richter S, Gaspar T, Kanagkinis N, Dinov B, Piorkowski C, Bollmann A, Hindricks G, **Rolf S**. Long-term follow-up after atrial fibrillation ablation in patients with impaired left ventricular systolic function: the importance of rhythm and rate control. *Heart Rhythm.* 2014 Mar;11(3):344-51.
5. Sommer P, Richter S, Hindricks G, **Rolf S**. Non-fluoroscopic catheter visualization using MediGuide™ technology: experience from the first 600 procedures. *J Interv Card Electrophysiol.* 2014 Sep;40(3):209-14.
6. Dinov B, Kosiuk J, Kircher S, Bollmann A, Acou WJ, Arya A, Hindricks G, **Rolf S**. Impact of metabolic syndrome on left atrial electroanatomical remodeling and

outcomes after radiofrequency ablation of nonvalvular atrial fibrillation. *Circ Arrhythm Electrophysiol.* 2014 Jun;7(3):483-9.

7. Eitel C, **Rolf S***, Zachaeus M, John S, Sommer P, Bollmann A, Piorkowski C, Hindricks G, Halm U. Successful Non-Surgical Treatment of Esophagopericardial Fistulas following Atrial Fibrillation Catheter Ablation – a Case Series. *Circ Arrhythm Electrophysiol* 2013 Aug 1;6(4):675-81.
8. **Rolf S**, Sommer P, John S, Kircher S, Gaspar T, Arya A, Piorkowski C, Hindricks G. Catheter ablation of atrial fibrillation supported by non-fluoroscopic 4D catheter tracking. *Heart Rhythm.* 2013 Sep;10(9):1293-300.
9. Sommer P, Gaspar T, Eitel C, Derndorfer M, Martinek M, Puererfellner H, Arya A, Piorkowski C, Hindricks G, **Rolf S**. MediGuide in SVT: initial experience from a multicenter registry. *Europace.* 2013 Sep;15(9):1292-7.
10. **Rolf S**, Sommer P, John S, Gaspar T, Arya A, Hindricks G, Piorkowski C. Ablation of atrial fibrillation using novel 4D catheter tracking within auto-registered LA angiograms. *Circ Arrhythm Electrophysiol.* 2012 Aug 1;5(4):684-90.
11. Wutzler A, **Rolf S***, Huemer M, Parwani AS, Boldt LH, Herberger E, Hohenbichler K, Dietz R, Haverkamp W. Safety aspects of deep sedation during catheter ablation of atrial fibrillation. *Pacing Clin Electrophysiol.* 2012 Jan;35(1):38-43.
12. **Rolf S**, Boldt LH, Parwani AS, Wutzler A, Huemer M, Blaschke D, Herberger E, Haverkamp W. Findings and outcome of fluoroscopic visualization of the oesophageal course during catheter ablation of atrial fibrillation. *Europace.* 2011 Jun;13(6):796-802.
13. **Rolf S**, Haverkamp W, Borggrefe M, Breithardt G, Bocker D. Induction of ventricular fibrillation rather than ventricular tachycardia predicts tachyarrhythmia recurrences in patients with idiopathic dilated cardiomyopathy and implantable cardioverter defibrillator for secondary prophylaxis. *Europace.* 2009 Mar;11(3):289-96.

14. Boldt LH, **Rolf S***, Huemer M, Parwani AS, Luft FC, Dietz R, Haverkamp W. Optimal heart failure therapy and successful cardioversion in heart failure patients with atrial fibrillation. Am Heart J. 2008 May;155(5):890-5.
15. **Rolf S**, Bruns HJ, Wichter T, Kirchhof P, Ribbing M, Wasmer K et al. The ajmaline challenge in Brugada syndrome: Diagnostic impact, safety, and recommended protocol. Eur Heart J 2003;24(12):1104-1112.
16. **Rolf S**, Haverkamp W, Borggrefe M, Musshoff U, Eckardt L, Mergenthaler J et al. Effects of antiarrhythmic drugs on cloned cardiac voltage-gated potassium channels expressed in Xenopus oocytes. Naunyn-Schmiedebergs PharmacologyArch Pharmacol 2000;362(1):22-31.

Originalarbeiten mit Koautorenschaft

1. Piorkowski C, Arya A, Markovitz CD, Razavi H, Jiang C, Rosenberg S, Breithardt OA, **Rolf S**, John S, Kosiuk J, Huo Y, Döring M, Richter S, Ryu K, Gaspar T, Prinzen FW, Hindricks G, Sommer P. Characterizing left ventricular mechanical and electrical activation in patients with normal and impaired systolic function using a non-fluoroscopic cardiovascular navigation system. J Interv Card Electrophysiol. 2018 Apr;51(3):205-214.
2. Sommer P, Bertagnolli L, Kircher S, Arya A, Bollmann A, Richter S, **Rolf S**, Hindricks G. Safety profile of near-zero fluoroscopy atrial fibrillation ablation with non-fluoroscopic catheter visualization: experience from 1000 consecutive procedures. Europace. 2018 Dec 1;20(12):1952-1958.
3. Kircher S, Arya A, Altmann D, **Rolf S**, Bollmann A, Sommer P, Dagres N, Richter S, Breithardt OA, Dinov B, Husser D, Eitel C, Gaspar T, Piorkowski C, Hindricks G. Individually tailored vs. standardized substrate modification during radiofrequency catheter ablation for atrial fibrillation: a randomized study. Europace. 2018 Nov 1;20(11):1766-1775.

4. Efimova E, Fischer J, Bertagnolli L, Dinov B, Kircher S, **Rolf S**, Sommer P, Bollmann A, Richter S, Meyer A, Garbade J, Hindricks G, Arya A. Predictors of ventricular arrhythmia after left ventricular assist device implantation: A large single-center observational study. *Heart Rhythm*. 2017 Dec;14(12):1812-1819.
5. Nedios S, Koutalas E, Sommer P, Arya A, **Rolf S**, Husser D, Bollmann A, Hindricks G, Breithardt OA. Asymmetrical left atrial remodelling in atrial fibrillation: relation with diastolic dysfunction and long-term ablation outcomes. *Europace*. 2017 Sep 1;19(9):1463-1469.
6. Piorkowski C, Breithardt OA, Razavi H, Nabutovsky Y, Rosenberg SP, Markowitz CD, Arya A, **Rolf S**, John S, Kosiuk J, Olson E, Eitel C, Huo Y, Döring M, Richter S, Ryu K, Gaspar T, Prinzen FW, Hindricks G, Sommer P. Mapping-guided characterization of mechanical and electrical activation patterns in patients with normal systolic function using a sensor-based tracking technology. *Europace*. 2017 Oct 1;19(10):1700-1709.
7. Koutalas E, **Rolf S**, Dinov B, Richter S, Arya A, Bollmann A, Hindricks G, Sommer P. Contemporary Mapping Techniques of Complex Cardiac Arrhythmias - Identifying and Modifying the Arrhythmogenic Substrate. *Arrhythm Electrophysiol Rev*. 2015 May;4(1):19-27.
8. Sommer P, Kircher S, **Rolf S**, John S, Arya A, Dinov B, Richter S, Bollmann A, Hindricks G. Successful Repeat Catheter Ablation of Recurrent Longstanding Persistent Atrial Fibrillation With Rotor Elimination as the Procedural Endpoint: A Case Series. *J Cardiovasc Electrophysiol*. 2016 Mar;27(3):274-80.
9. Nedios S, Darma A, Stevanello C, Richter S, Doering M, **Rolf S**, Sommer P, Hindricks G, Bollmann A, Arya A. Electrical storm in patients with implantable cardioverter-defibrillator in the era of catheter ablation: Implications for better rhythm control. *Heart Rhythm*. 2015 Dec;12(12):2419-25.
10. Nedios S, Koutalas E, Kornej J, **Rolf S**, Arya A, Sommer P, Husser D, Hindricks G, Bollmann A. Cardiogenic Stroke Despite Low CHA(2) DS(2) -VASC Score:

Assessing Stroke risk by Left Atrial Appendage Anatomy (ASK LAA). J Cardiovasc Electrophysiol. 2015 Sep;26(9):915-921.

11. Sommer P, Kircher S, **Rolf S**, Richter S, Doering M, Arya A, Bollmann A, Hindricks G. Non-fluoroscopic catheter tracking for fluoroscopy reduction in interventional electrophysiology. J Vis Exp. 2015 May 26;(99):e52606.
12. Darma A, Nedios S, Kosiuk J, Richter S, Doering M, Arya A, **Rolf S**, Sommer P, Hindricks G, Bollmann A. Differences in predictors of implantable cardioverter-defibrillator therapies in patients with ischaemic and non-ischaemic cardiomyopathies. Europace. 2016 Mar;18(3):405-12.
13. Dinov B, Schratter A, Schirripa V, Fiedler L, Bollmann A, **Rolf S**, Sommer P, Hindricks G, Arya A. Procedural Outcomes and Survival After Catheter Ablation of Ventricular Tachycardia in Relation to Electroanatomical Substrate in Patients With Nonischemic-Dilated Cardiomyopathy: The Role of Unipolar Voltage Mapping. J Cardiovasc Electrophysiol. 2015 Sep;26(9):985-993.
14. Nedios S, Kosiuk J, Koutalas E, Kornej J, Sommer P, Arya A, Richter S, **Rolf S**, Husser D, Hindricks G, Bollmann A. Comparison of left atrial dimensions in CT and echocardiography as predictors of long-term success after catheter ablation of atrial fibrillation. J Interv Card Electrophysiol. 2015 Sep;43(3):237-44.
15. Kornej J, Hindricks G, Shoemaker MB, Husser D, Arya A, Sommer P, **Rolf S**, Saavedra P, Kanagasundram A, Patrick Whalen S, Montgomery J, Ellis CR, Darbar D, Bollmann A. The APPLE score: a novel and simple score for the prediction of rhythm outcomes after catheter ablation of atrial fibrillation. Clin Res Cardiol. 2015 Oct;104(10):871-6.
16. Dinov B, Arya A, Schratter A, Schirripa V, Fiedler L, Sommer P, Bollmann A, **Rolf S**, Piorkowski C, Hindricks G. Catheter ablation of ventricular tachycardia and mortality in patients with nonischemic dilated cardiomyopathy: can noninducibility after ablation be a predictor for reduced mortality? Circ Arrhythm Electrophysiol. 2015 Jun;8(3):598-605.

17. Müssigbrodt A, Kosiuk J, Koutalas E, Pastromas S, Dagres N, Darma A, Lucas J, Breithardt OA, Sommer P, Dinov B, Eitel C, **Rolf S**, Döring M, Richter S, Arya A, Husser D, Bollmann A, Hindricks G. Results of catheter ablation of atrial fibrillation in hypertrophied hearts - Comparison between primary and secondary hypertrophy. *J Cardiol.* 2015 Jun;65(6):474-8.
18. Nedios S, Kornej J, Koutalas E, Bertagnolli L, Kosiuk J, **Rolf S**, Arya A, Sommer P, Husser D, Hindricks G, Bollmann A. Left atrial appendage morphology and thromboembolic risk after catheter ablation for atrial fibrillation. *Heart Rhythm.* 2014 Dec;11(12):2239-46.
19. Kosiuk J, Koutalas E, Doering M, Nedios S, Sommer P, **Rolf S**, Darma A, Breithardt OA, Dinov B, Hindricks G, Richter S, Bollmann A. Comparison of Dabigatran and Uninterrupted Warfarin in Patients With Atrial Fibrillation Undergoing Cardiac Rhythm Device Implantations. *Circ J.* 2014 Aug 22.
20. Döring M, Sommer P, **Rolf S**, Lucas J, Breithardt OA, Hindricks G, Richter S. Sensor-based electromagnetic navigation to facilitate implantation of left ventricular leads in cardiac resynchronization therapy. *J Cardiovasc Electrophysiol.* 2015 Feb;26(2):167-75.
21. Kosiuk J, Koutalas E, Doering M, Nedios S, Sommer P, **Rolf S**, Darma A, Breithardt OA, Dinov B, Hindricks G, Richter S, Bollmann A. Comparison of dabigatran and uninterrupted warfarin in patients with atrial fibrillation undergoing cardiac rhythm device implantations. Case-control study. *Circ J.* 2014;78(10):2402-7.
22. Dinov B, Arya A, Bertagnolli L, Schirripa V, Schoene K, Sommer P, Bollmann A, **Rolf S**, Hindricks G. Early referral for ablation of scar-related ventricular tachycardia is associated with improved acute and long-term outcomes: results from the Heart Center of Leipzig ventricular tachycardia registry. *Circ Arrhythm Electrophysiol.* 2014 Dec;7(6):1144-51.
23. Kornej J, Hindricks G, Banerjee A, Arya A, Sommer P, **Rolf S**, Husser D, Lip GY, Bollmann A. Changes in renal function after catheter ablation of atrial fibrillation

- are associated with CHADS2 and CHA2DS2-VASc scores and arrhythmia recurrences. Heart. 2015 Jan;101(2):126-31.
24. Koutalas E, Bertagnolli L, Sommer P, Richter S, **Rolf S**, Breithardt O, Bollmann A, Hindricks G, Arya A. Efficacy and safety of remote magnetic catheter navigation vs. manual steerable sheath-guided ablation for catheter ablation of atrial fibrillation: a case-control study. Europace. 2015 Feb;17(2):232-8.
25. Kornej J, Dinov B, Blann AD, **Rolf S**, Arya A, Schmidl J, Husser D, Hindricks G, Bollmann A, Lip GY. Effects of radiofrequency catheter ablation of atrial fibrillation on soluble P-selectin, von Willebrand factor and IL-6 in the peripheral and cardiac circulation. PLoS One. 2014 Nov 12;9(11):e111760.
26. Müssigbrodt A, Dinov B, Bertagnoli L, Sommer P, Richter S, Breithardt OA, **Rolf S**, Bollmann A, Hindricks G, Arya A. Precordial QRS amplitude ratio predicts long-term outcome after catheter ablation of electrical storm due to ventricular tachycardias in patients with arrhythmogenic right ventricular cardiomyopathy. J Electrocardiol. 2015 Jan-Feb;48(1):86-92.
27. Bode K, Breithardt OA, Kreuzhuber M, Mende M, Sommer P, Richter S, Doering M, Dinov B, **Rolf S**, Arya A, Dagres N, Hindricks G, Bollmann A. Patient discomfort following catheter ablation and rhythm device surgery. Europace. 2015 Jul;17(7):1129-35.
28. Kornej J, Hindricks G, Arya A, Sommer P, Husser D, **Rolf S**, Bollmann A. Presence and extent of coronary artery disease as predictor for AF recurrences after catheter ablation: The Leipzig Heart Center AF Ablation Registry. Int J Cardiol. 2015 Feb 15;181:188-92.
29. Müssigbrodt A, Grothoff M, Dinov B, Kosiuk J, Richter S, Sommer P, Breithardt OA, **Rolf S**, Bollmann A, Arya A, Hindricks G. Irrigated tip catheters for radiofrequency ablation in ventricular tachycardia. Biomed Res Int. 2015;2015:389294.

30. Kornej J, Kosiuk J, Hindricks G, Arya A, Sommer P, **Rolf S**, Husser D, Lip GY, Bollmann A. Sex-related predictors for thromboembolic events after catheter ablation of atrial fibrillation: The Leipzig Heart Center AF Ablation Registry. *Clin Res Cardiol.* 2015 Jul;104(7):603-10.
31. Nedios S, Koutalas E, Kosiuk J, Sommer P, Arya A, Richter S, **Rolf S**, Husser D, Hindricks G, Bollmann A. Impact of asymmetrical dilatation of the left atrium on the long-term success after catheter ablation of atrial fibrillation. *Int J Cardiol.* 2015 Apr 1;184:315-7.
32. Schoene K, **Rolf S**, Schloma D, John S, Arya A, Dinov B, Richter S, Bollmann A, Hindricks G, Sommer P. Ablation of typical atrial flutter using a non-fluoroscopic catheter tracking system vs. conventional fluoroscopy—results from a prospective randomized study. *Europace.* 2015 Jul;17(7):1117-21.
33. Efimova E, Dinov B, Acou WJ, Schirripa V, Kornej J, Kosiuk J, **Rolf S**, Sommer P, Richter S, Bollmann A, Hindricks G, Arya A. Differentiating the origin of outflow tract ventricular arrhythmia using a simple, novel approach. *Heart Rhythm.* 2015 Jul;12(7):1534-40.
34. Kosiuk J, Koutalas E, Doering M, Sommer P, **Rolf S**, Breithardt OA, Nedios S, Dinov B, Hindricks G, Richter S, Bollmann A. Treatment with novel oral anticoagulants in a real-world cohort of patients undergoing cardiac rhythm device implantations. *Europace.* 2014 Jul;16(7):1028-32.
35. Kosiuk J, Nedios S, Darma A, **Rolf S**, Richter S, Arya A, Piorkowski C, Gaspar T, Sommer P, Husser D, Hindricks G, Bollmann A. Impact of single atrial fibrillation catheter ablation on implantable cardioverter defibrillator therapies in patients with ischaemic and non-ischaemic cardiomyopathies. *Europace.* 2014 Sep;16(9):1322-6.
36. Efimova E, Riahi S, Fiedler L, Esato M, Sommer P, Richter S, Breithardt O, **Rolf S**, Bollmann A, Hindricks G, Arya A. Adenosine sensitivity of retrograde fast pathway conduction in patients with slow-fast atrioventricular nodal reentrant tachycardia: a prospective study. *Heart Rhythm.* 2014 May;11(5):871-6.

37. Huo Y, Schoenbauer R, Richter S, **Rolf S**, Sommer P, Arya A, Rastan A, Doll N, Mohr FW, Hindricks G, Piorkowski C, Gaspar T. Atrial arrhythmias following surgical AF ablation: electrophysiological findings, ablation strategies, and clinical outcome. *J Cardiovasc Electrophysiol.* 2014 Jul;25(7):725-38.
38. Kornej J, Hindricks G, Kosiuk J, Arya A, Sommer P, Husser D, **Rolf S**, Richter S, Huo Y, Piorkowski C, Bollmann A. Comparison of CHADS2, R2CHADS2, and CHA2DS2-VASc scores for the prediction of rhythm outcomes after catheter ablation of atrial fibrillation: the Leipzig Heart Center AF Ablation Registry. *Circ Arrhythm Electrophysiol.* 2014 Apr;7(2):281-7.
39. Kosiuk J, Nedios S, Kornej J, Koutalas E, Bertagnolli L, **Rolf S**, Arya A, Sommer P, Husser D, Hindricks G, Bollmann A. Impact of left atrial appendage morphology on peri-interventional thromboembolic risk during catheter ablation of atrial fibrillation. *Heart Rhythm.* 2014 Sep;11(9):1522-7.
40. Sommer P, **Rolf S**, Piorkowski C, Gaspar T, Huo Y, Piedra C, Richter S, Bollmann A, Arya A, Hindricks G. Nonfluoroscopic catheter visualization in atrial fibrillation ablation: experience from 375 consecutive procedures. *Circ Arrhythm Electrophysiol.* 2014 Oct;7(5):869-74.
41. Bode K, **Rolf S**, Sommer P, Richter S, Hindricks G. [Long-term results of catheter ablation of atrial fibrillation: cure or just palliation?]. *Herzschriftmacherther Elektrophysiolog.* 2014 Dec;25(4):246-51.
42. Kosiuk J, Kornej J, Bollmann A, Piorkowski C, Myrda K, Arya A, Sommer P, Richter S, **Rolf S**, Husser D, Gaspar T, Lip GY, Hindricks G. Early cerebral thromboembolic complications after radiofrequency catheter ablation of atrial fibrillation: incidence, characteristics, and risk factors. *Heart Rhythm.* 2014 Nov;11(11):1934-40.
43. Dagres N, **Rolf S**, Hindricks G. Percutaneous left atrial appendage suture ligation: not ready for prime time. *J Am Coll Cardiol.* 2014 Aug 12;64(6):573-5.

44. Dinov B, Fiedler L, Schönbauer R, Bollmann A, **Rolf S**, Piorkowski C, Hindricks G, Arya A. Outcomes in Catheter Ablation of Ventricular Tachycardia in Dilated Non-Ischemic Cardiomyopathy in Comparison to Ischemic Cardiomyopathy: Results from the Prospective HEart Centre of LeiPzig VT (HELP - VT) Study. *Circulation*. 2014 Feb 18;129(7):728-36.
45. Kornej J, Hindricks G, Kosiuk J, Arya A, Sommer P, Husser D, **Rolf S**, Richter S, Piorkowski C, Gaspar T, Lip GY, Bollmann A. Renal Dysfunction, Stroke Risk Scores (CHADS2, CHA2DS2-VASc and R2CHADS2) and the Risk of Thromboembolic Events after Catheter Ablation of Atrial Fibrillation: The Leipzig Heart Center AF Ablation Registry. *Circ Arrhythm Electrophysiol*. 2013 Oct;6(5):868-74.
46. Richter S, Döring M, Gaspar T, John S, **Rolf S**, Sommer P, Hindricks G, Piorkowski C. CRT Implantation Using a New Sensor-Based Navigation System:Results from the First Human Use Study. *Circ Arrhythm Electrophysiol*. 2013 Oct;6(5):917-23.
47. Kosiuk J, Buchta P, Gaspar T, Arya A, Piorkowski C, **Rolf S**, Sommer P, Husser D, Hindricks G, Bollmann A. Prevalence and predictors of worsened left ventricular diastolic dysfunction after catheter ablation of atrial fibrillation. *Int J Cardiol*. 2013 Oct 9;168(4):3613-5.
48. Parwani AS, Boldt LH, Huemer M, Wutzler A, Blaschke D, **Rolf S**, Möckel M, Haverkamp W. Atrial fibrillation-induced cardiac troponin I release. *Int J Cardiol*. 2013 Oct 3;168(3):2734-7.
49. Gaspar T, Sih H, Hindricks G, Eitel C, Sommer P, Kircher S, **Rolf S**, Arya A, Teplitsky L, Piorkowski C. Use of electrical coupling information in AF catheter ablation: A prospective randomized pilot study. *Heart Rhythm*. 2013 Feb;10(2):176-81.
50. Huo Y, Braunschweig F, Gaspar T, Richter S, Schönbauer R, Sommer P, Arya A, **Rolf S**, Bollmann A, Hindricks G, Piorkowski C. Diagnosis of atrial tachycardias

originating from the lower right atrium: importance of P-wave morphology in the precordial leads V3-V6. *Europace*. 2012 Oct 10. [Epub ahead of print]

51. Sommer P, Wojdyla-Hordynska A, **Rolf S**, Gaspar T, Eitel C, Arya A, Hindricks G, Piorkowski C. Initial experience in ablation of typical atrial flutter using a novel three-dimensional catheter tracking system. *Europace*. 2012 Aug 2. [Epub ahead of print]
52. Gaspar T, Kircher S, Arya A, Sommer P, **Rolf S**, Hindricks G, Piorkowski C. Enhancement of intracardiac navigation by new GPS-guided location system (MediGuide Technologies). *Europace*. 2012 Aug;14 Suppl 2:ii24-ii25.
53. Kiuchi K, Kircher S, Watanabe N, Gaspar T, **Rolf S**, Arya A, Piorkowski C, Hindricks G, Sommer P. Quantitative Analysis of Isolation Area and Rhythm Outcome in Patients With Paroxysmal Atrial Fibrillation After Circumferential Pulmonary Vein Antrum Isolation Using the Pace-and-Ablate Technique. *Circ Arrhythm Electrophysiol*. 2012 Aug 1;5(4):667-75.
54. Kosiuk J, Van Belle Y, Bode K, Kornej J, Arya A, **Rolf S**, Husser D, Hindricks G, Bollmann A. Left Ventricular Diastolic Dysfunction in Atrial Fibrillation: Predictors and Relation with Symptom Severity. *J Cardiovasc Electrophysiol*. 2012 Oct;23(10):1073-7.
55. Dinov B, Schönauer R, Wojdyla-Hordynska A, Braunschweig F, Richter S, Altmann D, Sommer P, Gaspar T, Bollmann A, Wetzel U, **Rolf S**, Piorkowski C, Hindricks G, Arya A. Long-term efficacy of single procedure remote magnetic catheter navigation for ablation of ischemic ventricular tachycardia: a retrospective study. *J Cardiovasc Electrophysiol*. 2012 May;23(5):499-505.
56. Piorkowski C, Eitel C, **Rolf S**, Bode K, Sommer P, Gaspar T, Kircher S, Wetzel U, Parwani AS, Boldt LH, Mende M, Bollmann A, Husser D, Dagres N, Esato M, Arya A, Haverkamp W, Hindricks G. Steerable versus nonsteerable sheath technology in atrial fibrillation ablation: a prospective, randomized study. *Circ Arrhythm Electrophysiol*. 2011;4:157-165.

57. Boldt LH, Posch MG, Perrot A, Polotzki M, **Rolf S**, Parwani AS, Huemer M, Wutzler A, Ozcelik C, Haverkamp W. Mutational analysis of the PITX2 and NKX2-5 genes in patients with idiopathic atrial fibrillation. *Int J Cardiol.* 2010 Nov 19;145(2):316-7.
58. Posch MG, Boldt LH, Polotzki M, Richter S, **Rolf S**, Perrot A, Dietz R, Ozcelik C, Haverkamp W. Mutations in the cardiac transcription factor GATA4 in patients with lone atrial fibrillation. *Eur J Med Genet.* 2010 Jul-Aug;53(4):201-3.
59. Huemer M, Boldt LH, **Rolf S**, Blaschke D, Parwani A, Haverkamp W. Sustained monomorphic ventricular tachycardia after adenosine infusion. *Int J Cardiol.* 2009 Jan 24;131(3):e97-100.
60. Kirchhof P, Eckardt L, **Rolf S**, Esperer HD, Paul M, Wichter T et al. T wave alternans does not assess arrhythmic risk in patients with Brugada syndrome. *Ann Noninvasive Electrocardiol* 2004;9(2):162-165.
61. Eckardt L, Kirchhof P, Schulze-Bahr E, **Rolf S**, Ribbing M, Loh P et al. Electrophysiologic investigation in Brugada syndrome - Yield of programmed ventricular stimulation at two ventricular sites with up to three premature beats. *Eur Heart J* 2002;23(17):1394-1401.
62. Kirchhof P, Loh P, Eckardt L, Ribbing M, **Rolf S**, Eick O et al. A novel nonfluoroscopic catheter visualization system (LocaLisa) to reduce radiation exposure during catheter ablation of supraventricular tachycardias. *Am J Cardiol* 2002;90(3):340-3.

Case reports (peer-reviewed)

1. Huemer M, Boldt LH, Wutzler A, Parwani A, **Rolf S**, Blaschke D, Haverkamp W. Polymorphic ventricular tachycardia in a patient with herpes encephalitis. *J Clin Neurosci.* 2012 Mar;19(3):483-4.

2. Parwani AS, **Rolf S**, Haverkamp W. Coronary artery occlusion due to lead insertion into the right ventricular outflow tract. *Eur Heart J.* 2009 Feb;30(4):425.
3. Blaschke D, Parwani AS, Huemer M, **Rolf S**, Boldt LH, Dietz R, Haverkamp W. Torsade de pointes during combined treatment with risperidone and citalopram. *Pharmacopsychiatry.* 2007 Nov;40(6):294-5.
4. **Rolf S**, Holzmeister J, Fruehwirth M, Haverkamp W. Idiopathic left ventricular tachycardia: procedural and fluoroscopy time saving ablation using LocaLisa navigation system. *J Cardiovasc Electrophysiol.* 2006 Feb;17(2):214-5.
5. **Rolf S**, Haverkamp W, Eckardt L. True right bundle branch block masking the typical ECG in Brugada syndrome. *Pacing Clin Electrophysiol.* 2005 Mar;28(3):258-9.

Übersichtsartikel/Editorials (peer-reviewed)

1. **Rolf S**, Dagres N, Hindricks G. Voltage-Based Ablation: The Growing Evidence for the Role of Individually Tailored Substrate Modification for Atrial Fibrillation. *J Cardiovasc Electrophysiol.* 2016 Jan;27(1):31-3.
2. **Rolf S**, Hindricks G, Sommer P, Richter S, Arya A, Bollmann A, Kosiuk J, Koutalas E. Electroanatomical mapping of atrial fibrillation: Review of the current techniques and advances. *J Atr Fibrillation.* 2014 Dec 31;7(4):1140.
3. **Rolf S**, Kornej J, Dagres N, Hindricks G. What can rhythm control therapy contribute to prognosis in atrial fibrillation? *Heart.* 2015 Jun;101(11):842-6.
4. Sommer P, **Rolf S**, Richter S, Hindricks G, Piorkowski C. Nicht fluoroskopische Katheternavigation: das MediGuide™-System. *Herzschriftmacherther Elektrophysiol.* 2012 Nov 21.
5. Sommer P, **Rolf S**, Gaspar T, Piorkowski C, Hindricks G. Non-fluoroscopic Catheter Tracking for Interventional Electrophysiology Procedures: The MediGuide System. *J Innov Card Rhythm Management.* 2012 Sep;(3)922-929.

6. Eckardt L, **Rolf S**, Mönnig G, Bruns HJ, Schulze-Bahr E, Milberg P, Kirchhof P, Wichter T, Borggrefe M, Breithardt G, Haverkamp W. Klinik und Therapie des Brugada-Syndroms. *Herzschrittmachertherapie & Elektrophysiologie* 04/2012; 13(3):157-165
7. **Rolf S**, Motz W, Horstkotte D. Epidemiologie des Vorhofflimmerns. *Klinikarzt* 2011 (40): 7-12.
8. **Rolf S**, Gaspar T, Sommer P, Kircher S, Arya A, Wetzel U, Bollmann A, Hindricks G, Piorkowski C. Katheterablation von Vorhofflimmern - Neue Technologien und Strategien. *Austrian J Cardiol* 2011 (3-4): 76-80.
9. **Rolf S**, Haverkamp W. [Limits and scopes of invasive risk stratification. Do we still need programmed ventricular stimulation?]. *Herz*. 2009 Nov;34(7):528-38.
10. Blaschke D, **Rolf S**, Parwani AS, Huemer M, Dietz R, Garbe E, Haverkamp W. [Drug-induced valvular heart disease]. *Dtsch Med Wochenschr*. 2009 Feb;134(8):365-70.
11. Boldt LH, **Rolf S**, Dietz R, Haverkamp W. [Atrial fibrillation in patients with heart failure. [Pathophysiological concepts and therapeutic options]]. *Dtsch Med Wochenschr*. 2008 Nov;133(45):2349-54.
12. Haverkamp W, **Rolf S**, Osterziel KJ, Dietz R, Peters S. [Arrhythmogenic right ventricular cardiomyopathy]. *Herz*. 2005 Sep;30(6):565-70.
13. Haverkamp W, **Rolf S**, Eckardt L, Mönnig G. [Long QT syndrome and Brugada Syndrome. Drugs, ablation or ICD?]. *Herz*. 2005 Mar;30(2):111-8.
14. Haverkamp W, **Rolf S**, Stockburger M, Dietz R. [Acute treatment of stable hemodynamically tolerable ventricular tachycardia]. *Anasthesiol Intensivmed Notfallmed Schmerzther*. 2005 Apr;40(4):207-12.
15. Haverkamp W, Dietz R, **Rolf S**. Vorhofflimmern-Rezidive während Langzeitbehandlung mit Amiodaron: Versagen der Therapie oder unzureichende Dosierung? *Austrian J Cardiol* 2004; 11 (Suppl): 11-12.

Buchartikel

1. **Rolf S**, Möckel M (Für die deutsche Ausgabe) Loscalzo J. Palpitationen. In: Dietel M, Suttorp N, Zeitz M. Deutsche Ausgabe Harrisons Innere Medizin, 18. Auflage. ABW Wissenschaftsverlag, Berlin, 20012:317-318.
2. **Rolf S**, Möckel M (Für die deutsche Ausgabe) Spragg D. Grundlagen der Elektrophysiologie. In: Dietel M, Suttorp N, Zeitz M. Deutsche Ausgabe Harrisons Innere Medizin, 18. Auflage. ABW Wissenschaftsverlag, Berlin, 20012:317-318.
3. Haverkamp W, Kühnle Y, **Rolf S**. Gefäßzugänge: Allgemeine Prinzipien und Methoden. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:134-140.
4. **Rolf S**. Mechanische und elektrische Therapie kardialer Arrhythmien, Anlage eines temporären Schrittmachers. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:181-194.
5. **Rolf S**. Herz-Kreislauf: Messung des zentralen Venendrucks (ZVD), ZVD-Kurve. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:230-232.
6. **Rolf S**. Herz-Kreislauf: EKG-Spezialableitungen. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:225-228.
7. **Rolf S**. Herz-Kreislauf: Physiologie und Pathophysiologie. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:210-220.
8. **Rolf S**. Herz-Kreislauf: Aufnahmecheckliste (Untersuchungsmethoden und Diagnostik). In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:220-225.

9. **Rolf S.** Herz-Kreislauf: Pulmonalarterienkatheter. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:232-238.
10. **Rolf S.** Herz-Kreislauf: PiCCO. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:238-240.
11. **Rolf S**, Boldt LH. Herz-Kreislauf: Herzrhythmusstörungen. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:274-282.
12. **Rolf S.** Herz-Kreislauf: Notfälle bei Patienten mit Herzschrittmacher und ICD. In: Haverkamp W, Herth FJF, Messmann H. Internistische Intensivmedizin. Thieme, Stuttgart, 2008:282-286.
13. **Rolf S**, Dietz R (Für die deutsche Ausgabe) Loscalzo J. Palpitationen. In: Dietel M, Suttorp N, Zeitz M. Deutsche Ausgabe Harrisons Innere Medizin, 17 Auflage. ABW Wissenschaftsverlag, Berlin, 2008:298-299.